


**Name:** IDFB-19-SS  
**Russian name:** ДН-19НЖ  
**Type:** Special purpose ID Fans  
**Notes:** Backward curved blades



## DESCRIPTION:

Centrifugal ID Fans made of stainless steel are designed for removal of sulfur-containing and dust-loaded flue gases from metallurgical concentrate furnaces widely used in nonferrous metallurgy, chemical industry and fertilizer manufacturing. The handling gases should contain up to 11% of SO<sub>2</sub> under 40°C temperature and dustiness not more than 2 g/m<sup>3</sup>. In view of high aggressivity of handling flue gases such ID Fans are manufactured in corrosion-resistant design. The ID Fans of this modification have no inlet boxes. The blades of impeller are backward curved.

## AERODYNAMIC PERFORMANCE:

Capacity: 105.0 ths. m<sup>3</sup>  
Total pressure: 2648 Pa  
Temperature: 400 C  
Efficiency: 85 %  
Dustiness: 1.0 g/m<sup>3</sup>

## DIMENSIONS:

Length: 3168 mm  
Width: 3610 mm  
Height: 3840 mm  
Weight: 4130 kg

## ELECTRIC MOTOR:

Power: 110 kW  
Rate speed: 1000 rpm  
Moment of inertia: 390 kg\*m<sup>2</sup>

## AUXILIARIES:

Actuator: 630 Hm

DELIVERY OPTIONS:

Railway: Flatcar: 1 | Open wagon: 0 | Schnabel car: 0

DIMENSIONAL DRAWING:

